

NOTE:
SEE SIDEWALK SPACING
EXPANSION JOINTS AND
SCORE MARK DETAIL
FOR ADDITIONAL NOTES.

STANDARD CURB & GUTTER
OR VERTICAL CURB

ADVANCE WARNING STRIP

SIDEWALK
WIDTH
VARIES

PLANTER
WIDTH
VARIES

3' 5' 6'

3' MIN.

RADIUS
VARIES

12:1 MAX. SLOPE

DEPRESSED CURB &
GUTTER OR VERTICAL CURB


1/4" DEEP PATTERN MADE
WITH EXPANDED METAL GRATE

B
A
B

TYPICAL CURB RAMP

VERTICAL CURB
OR CURB & GUTTER

PLANTER WIDTH VARIES



BACK OF WALK


SEE LIP DETAIL

SECTION B-B

RAMP 12:1 SLOPE

5' MIN

6' MIN.



SECTION A-A

NOTE:

THIS RAMP MAY BE USED AS DESIGNATED ON THE PLANS AND IN AREAS WHERE OTHER RAMP
DESIGNS ARE NOT FEASIBLE. FINAL DETERMINATION SHALL BE MADE BY THE CITY.



PUBLIC WORKS
DEPARTMENT

CURB RAMP

DWG. NO.
3-10