

**ATTENTION: All Bidders**

**ADDENDUM #1**

**FOR**

**2017 ARTERIAL STREET CRACK SEAL PROJECT**

*City of Sedro-Woolley Project No. 2017-PW-15*

**March 15, 2017**

**The following revisions, additions, and clarifications to the project Proposal, Plans, and Special Provisions are provided for this project:**

**PROPOSAL**

1. Proposal

1. Replace the original "2017 Arterial Street Crack Seal Project – Proposal" form with the attached "2017 Arterial Crack Seal Project – Addendum 1" form.

**REQUEST FOR PROPOSALS**

1. Supplement Paragraph 2 with the following:

- A. Item 1 "Crack Seal" is per the Simple Band-Aid Method as defined in the FHWA Technical Briefing "Sealing and Filling Cracks in Asphalt Pavements".
- B. Item 2 "Crack Seal with Routing" to provide a  $\frac{3}{4}$ " reservoir width and  $\frac{3}{4}$ " depth is per the Standard Recessed Band-Aid Method as defined in the FHWA Technical Briefing "Sealing and Filling Cracks in Asphalt Pavements".
- C. Crack Seal Treatment Material to be Crafcoc Road Saver 534 Low Tack or City approved equal.
- D. All cracks to be sealed shall be thoroughly cleaned prior to sealant application using the Hot Compressed Air Lance method.
- E. Pavement and crack channel and reservoir to be dry for pavement application.
- F. All work to be completed prior to June 1, 2017.

2. Paragraph 5 is revised as follows: "Proposals are due by 2 pm on **Tuesday, March 28, 2017**."

**OTHER INFORMATION:**

1. This Addendum will be incorporated in the contract when awarded and when formally executed.

**Attachments:**

**2017 Arterial Street Crack Seal Project PROPOSAL – ADDENDUM 1 .**




Mark A. Freiburger, P.E.  
City of Sedro-Woolley  
Director of Public Works

**ADDENDUM # 1**

**MARCH 15, 2017**

**2017 ARTERIAL STREET CRACK SEAL PROJECT**



## 2017 Arterial Street Crack Seal Project PROPOSAL – ADDENDUM 1

**Proposals due by 2 pm, March 28, 2017**

Bids may be submitted in person or by U.S. Mail, facsimile or email to: City of Sedro-Woolley, 325 Metcalf Street, Sedro-Woolley, WA 98284, (360) 855-0771, facsimile 360-855-0733, email [jrosario@ci.sedro-woolley.wa.us](mailto:jrosario@ci.sedro-woolley.wa.us).

We, the undersigned, hereby agree to bid the following per the “Request for Proposals”,  
- 2017 Arterial Street Crack Seal Project

**2017 Arterial Street Crack Seal Project – Per LF (Note 1):**

ITEM	DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL
1.	Crack Seal	20,000 LF	\$ _____	\$ _____
2.	Crack Seal w/Routing	10,000 LF	\$ _____	\$ _____
<b>TOTAL:</b>				\$ _____

BIDDER NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_  
\_\_\_\_\_

TELEPHONE: \_\_\_\_\_

EMAIL: \_\_\_\_\_

UBI NO. \_\_\_\_\_

CONTACT: \_\_\_\_\_

**Notes:**

1. Prices include sales tax, freight, all licenses, permits, fees etc. not otherwise specifically mentioned.
2. Project assumes 30,000 LF will be crack sealed. Based on bid prices this amount may vary. No guarantee is made of the actual value of the work.
3. Item 1 Crack Seal item without routing is per the Simple Band Aid method.
4. Item 2 Crack Seal item with routing to provide a 3/4" reservoir width and 3/4" depth per the Standard Recessed Band-Aid method.
5. All cracks to be cleaned prior to sealing using the Hot Compressed Air Lance method.

Bidder Checklist:

MRSC Small Works Roster (registered): \_\_\_\_\_  
 Statement of Bidders Qualification (included with bid) \_\_\_\_\_  
 Addendum 1 Noted \_\_\_\_\_